Uniden°



APPCAM 24HD

Owner's Manual

CUSTOMER CARE

At Uniden®, we care about you!

If you need assistance, please do NOT return this product to your place of purchase. Our customer care specialists are available to serve you.

Save your receipt/proof of purchase for warranty.

Quickly find answers to your questions by:

- 1. Reading your owner's manual, included with this product.
- 2. Visiting our customer support website at www.uniden.com.
- 3. Calling our customer care specialists at 1-800-658-8068.

Images in this manual may differ slightly from your actual product.

Uniden surveillance products are not manufactured and/or sold with the intent to be used for illegal purposes. Uniden expects consumer's use of these products to be in compliance with all local, state and federal law. For further information on video surveillance and audio recording legal requirements, please consult your local, state and federal law.

© 2015. All rights allowed by law are hereby reserved.

Uniden is a registered trademark of Uniden America Corporation.

CONTENTS

CUSTOMER CARE2
PLEASE READ BEFORE YOU START
OVERVIEW 6
FEATURES6
System6
AppCam 24HD Indoor Camera6
Uniden's AppCam App7 WHAT'S INCLUDED7
PARTS OF THE CAMERA8
NETWORK SETUP AND CAMERA INSTALLATION9
OVERVIEW9
PREREQUISITES9
STEP 1 - SET UP CAMERA AND SMARTPHONE/TABLET9
STEP 2 - CONNECT CAMERA AND MOBILE DEVICE10
STEP 3 - CONNECT CAMERA TO WIFI ROUTER11
STEP 4 - SET TIME ZONE/DAYLIGHT SAVINGS TIME12
STEP 5 - INSTALL CAMERAS13
OPERATION OVERVIEW14
USING THE APP 16
ACCESSING YOUR CAMERAS 16
SNAPSHOT VS LIVE VIDEO SCREEN 16
SNAPSHOT SCREEN OVERVIEW 17
Add Another Camera17
System Settings 17 Update

Information	
System Information - Advanced Sets Screen Details	
Delete Camera Connection	21
Event List Details	21
LIVE VIDEO SCREEN OVERVIEW	22
View Recorded Files	24
TURN OFF THE APP	24
Android	24
iOS 25	
MAINTAINING YOUR SYSTEM	26
TAKING CARE OF YOUR CAMERA	26
TROUBLESHOOTING	27
HOW TO IMPROVE THE WIRELESS	
SIGNAL QUALITY	27
SPECIFICATIONS	29
MICROSD CARD APPROXIMATE	
RECORDING TIME	30
FCC COMPLIANCE	30
IC COMPLIANCE INFORMATION	31
ONE-YEAR LIMITED WARRANTY	32

PLEASE READ BEFORE YOU START

WIRELESS DEVICES OPERATING RANGE

Be sure the cameras and the WiFi router can communicate. If necessary, reduce the distance between the camera(s) and the WiFi router to improve overall system performance.

IMPORTANT SAFETY PRECAUTIONS

Uniden will not assume any liability for damages caused by improper handling or non-compliance with the following safety notices or procedures in this Owner's Manual! Any warranty claim will be null and void in such cases.

- Do not drop, puncture or disassemble the camera; otherwise the warranty will be voided.
- Never tug on the power cords. Use the plug to unplug it from the outlet.
- Do not expose the camera to high temperature or leave it in direct sunlight. Doing so may damage the camera or cause temporary camera malfunction.
- · Avoid pressing hard on the camera body.
- For your own safety, avoid using the camera or power off the camera when there is a storm or lightning.
- Disconnect the power adapter during long periods between usage.
- Use only the accessories and power adapters supplied by the manufacturer.

ABOUT THIS MANUAL

This manual covers app operation on both Android and iOS platforms. In some cases, both platforms' operation screens are shown; in others, the screens are so similar that only one platform's image is shown.

Icons on the screens, however, can be very different. If the icons are different between Android and iOS, both icons are shown. If the icons are similar, then only one icon might be shown. For example, (Android) and (iOS) are both icons for adding a new camera. These icons are significantly different from one another so both icons are displayed. However, the icons for the camera function - for Android and for iOS - are so similar that only one icon needs to be displayed.

OVERVIEW

Uniden's AppCam system works with your smartphone or wireless device to create a powerful home security network. No PC interface is needed to view video on your smartphone or wireless devices. Set up the camera network on your mobile device and install the cameras; your network is up and running. The wireless AppCam offers superior quality video with true color. It is suitable for day or nighttime use.

Also, as dust, grime, and cobwebs accumulate on the camera glass, they can reflect light from the infrared LED and might lower video quality. Periodically clean the lens glass with a soft cloth.

FEATURES

System

- No PC required
- Direct connection to router
- WiFi connection to router
- P2P connection
- Records HD 720P up to 20fps
- Manual/motion recording to microSD
- Supports up to 32GB microSD
- · High quality H.264 video
- · Two-way Audio

AppCam 24HD Indoor Camera


IR cut filter switch

- Night vision range 25 feet
- Built-in microphone and speaker
- microSD card slot

Uniden's AppCam App

- · Multiple camera viewing and management from single app
- Remote access to recorded video
- Remote snapshot & recording control
- Event notification/email alert

WHAT'S INCLUDED




If any items are missing or damaged, contact our Customer Care Line immediately at 1-800-658-8068.

Never use damaged products!

PARTS OF THE CAMERA





NETWORK SETUP AND CAMERA INSTALLATION

OVERVIEW

There are two methods of connecting the AppCam 24HD cameras to your mobile device. One method is wireless and the other method has the camera connected directly to the router using the provided Ethernet cable.

The add camera procedures themselves are identical. In the setup procedures that follow, the wired connection instructions are noted where applicable.

Use these same procedures to add additional cameras to your network.

PREREQUISITES

- Your router must support WEP/WPA/WPA2 security and it must be turned on.
- You must have an available WiFi-enabled mobile device (Android or iOS smartphone/tablet).
- The AppCam 24HD and your mobile device must connect to the same Wi-Fi router for setup.

STEP 1 - SET UP CAMERA AND SMARTPHONE/TABLET

1. Download the Uniden® AppCam-app from the Apple App Store, Google Play, or the Amazon App store onto your device.



2. Wireless Setup - Connect the camera to power After about 45 seconds, the green LED begins to flash (3-flash/pause pattern), indicating that the camera is in Pairing mode.
Wired Setup - Connect the camera to your router using the Ethernet cable provided. Connect to power. After about 45 seconds, the green LED begins to flash (3-flash/pause pattern), indicating that the camera is in Pairing mode. Go to Step 2 in the next section, Connect Camera and Mobile Device.

STEP 2 - CONNECT CAMERA AND MOBILE DEVICE

- From your device's Settings, go to WiFi. Select the AppCam 24HD to connect your device to it. The camera listing will be HD-XXXXXX where XXXXXX are the last 6 digits on the camera label. Enter the default password, 12345678, and tap Connect for Android or Join for iOS..
- 2. When the device is connected to the camera, launch the app and tap the Add New System icon.





Android

iOS

- 3. The System Information screen displays. Name the camera and tap Search.
- The camera's DID should display. Tap the DID for Android or *Join* for iOS.



5. The *System Information* screen displays again. This time, enter the default security code (123456); tap *Save*, then *Yes* (Android) or *OK* (iOS).

For Android: The *Connection* screen displays. Tap it to display the *Modify Security Code* screen.

For iOS: The connection screen displays, followed by the Snapshot screen.

6. Tap the screen; the *Modify Security Code* screen displays. Tap OK, change the security code, and tap OK.



7. Tap the screen again to display the live video screen.

STEP 3 - CONNECT CAMERA TO WIFI ROUTER

 Tap the Back icon, the System icon, and then the System Settings icon. The System Information screen displays





iOS

2. Tap *Advanced*. Enter the Admin password (123456).

3. Scroll to WiFi on the Advanced Settings list. For Android: Tap Manage WiFi network and then scroll to the router you want. Enter the password for that router. Unplug the Ethernet cable if it is connected. For iOS: Tap SSID. Select your router from the drop-down list and enter your router's password. Tap Connect.





Android and iOS screens are similar.

The camera will reboot and reconnect to the router. Watch the front of your camera. Wait until the LED returns to the steady on state to continue.

4. If the screen indicates that the camera is disconnected, tap the System icon and then the Refresh icon. The camera refreshes and reconnects to the router you chose.

Android





iOS





5. Tap the screen to display video.

STEP 4 - SET TIME ZONE/DAYLIGHT SAVINGS TIME

It is important to set the correct time zone and daylight savings time indication on your camera to ensure correct date/time stamp on the video files.

- 1. Access the *Advanced Settings* list (see Connect Camera to Internet, described previously).
- 2. From the *Advancd Settings* list, scroll to *Time Zone*.
- 3. Select your time zone. The most commonly used time zones are:
 - GMT-05:00 Eastern Standard

- GMT-06:00 Central Standard
- GMT-07:00 Mountain Standard
- GMT-08:00 Pacific Standard
- GMT-09:00 Yukon Standard
- GMT-10:00 Alaska-Hawaii Standard
- 4. Set the Daylight Savings Time indicator.
- 5. Tap Back, and exit the Advanced Settings list.

STEP 5 - INSTALL CAMERAS

Consider the following when installing cameras:

- Clear line of sight video transmission distance is up to 500 ft.
 - Walls, especially brick and concrete, shorten the transmission distance.
 - Placement next to windows allows better transmission.
- Avoid having a direct light source in the view of the camera, such as ceiling
 or floor lamps or outside spotlights visible through the window.
- The camera is equipped with built-in infrared LEDs so you can use night vision for 24-hour surveillance. The LEDs will automatically activate at night and the picture viewed will turn to black and white. The night viewing range is up to 25 ft. Avoid pointing the camera lens directly at clear glass; the night vision LEDs will cause a blurred image.
- Optimized motion detection range is 6 18 feet for the camera. The farther away an object is, the less accurate the motion detection.
- If you leave your camera wirelessly connected to the router, your picture quality will be very good. However, you can leave the camera physically connected to the router for the highest quality images. If you wish to do so, install the camera within reach of the router.

1. Use your mobile device to test the places where you are considering mounting the camera. Hold the device in that location; if you still have a WiFi signal on your device, the location should be okay.

Attach the camera stand if you have not already done so.

- 2. Unplug the camera from the power source and install it.
- 3. After the camera is installed, reconnect power.

OPERATION OVERVIEW

To Do This	Do This:
Record Video	Тар ●.
View Recorded Files	 From the <i>Snapshot</i> screen, tap / . Tap / := from the three icons displayed on the snapshot image. Tap your selection from the list of recorded
	files that now displays. The recorded video begins playing.
View Live Video	Tap the image on the Snapshot screen.
View Snapshots	Your snapshots are named with a time stamp and saved into the Photo gallery/Snapshot folder on your mobile device.
Start Recording	From the <i>Live Video</i> screen, tap . The camera will record for 2 minutes.

To Do This	Do This:
Delete Recorded Files	1. From the Snapshot screen, tap 🚮 / 🕮 .
	 Tap /
	3. Tap <i>Delete All</i> or <i>Delete One</i> from the icons along the bottom of the event list.
Take a Snapshot	1. From the <i>Live Video</i> screen, tap 🔟 .
	The snapshot is saved on your mobile device.

USING THE APP


After you've set up your system, use the Uniden AppCam app ("Uniden AppCam") to manage your AppCam operations and to take snapshots and remotely view live or recorded video on your smart phone or tablet device. You can have multiple independant AppCam cameras on the network. Please follow these steps to use the app.

ACCESSING YOUR CAMERAS

- Run the Uniden AppCam app ("Uniden AppCam").
- 2. If you have multiple AppCams on your app, each camera will display in a separate block. Tap the block with the AppCam you want to see.
- 3. The *Snapshot* screen displays for that camera. See page 17 for actions available from the *Snapshot* screen. Tap the screen image.
- 4. Live video displays. See page 22 for actions available from the *Live Video* screen. Tap 5 / \(\) to return to the *Snapshot* screen.

SNAPSHOT VS LIVE VIDEO SCREEN

The *Snapshot* and *Live Video* screens control operations. The *Snapshot* screen lets you add more cameras, configure advanced settings, access and manage recorded files, update the camera connection status and check app version. The *Live Video* screen lets you take snapshots and start/stop recording live video. You can also control the sound.



SNAPSHOT SCREEN OVERVIEW

The *Snapshot* screen displays a snapshot image from the camera and four function icons.

Add Another Camera

The <a>[Image: A content of the cont

System Settings

The / icon allows you to configure the advanced settings, remove the camera connection, and play back the recorded video clips. Tap / and the following three icons display in the snapshot image:



	Accesses <i>System Information</i> screen from which you can access the Advanced Settings screen. This screen lets you configure the camera and set notification alerts. See page 19 for details.
Ü	Deletes the camera from the app.
Android	Event List lets you check, play back, and delete recorded events and files. (See page 21 for details.)
iOS	

Update

Information

Tap 1 / 1 to set up and enable PIN lock or to check the app information.







iOS

- The PIN lock is a unique security code you must enter when you start the app.
- APP information displayed includes APP and API version information.

System Information - *Advanced Setting Screen Details*

Tap to display the *System Information* screen again with a tab for Advanced settings. From this screen (see page 12 for an image of this screen), you can set email alerts and event notifications as well as configure specific camera settings.

Enable Email Alert

Email alerts notify you when something triggers the motion sensors on your cameras. Move the slider to turn this feature on.

Enable Event notify

The system generates event notifications when something triggers the motion sensors on your cameras. Tap the box to turn this feature on.

Advanced Settings

Tap Advanced tab to access the Advanced Settings screen. This screen lets you configure various settings in your device, such as the time zone, device password, and video setting. These settings are displayed in a list of fields, each field contained in its own block. Scroll down to find the field you want to set. You can also format the microSD card or check the device information here.

The Advanced Settings screen field blocks are:

- Admin Password: The security code for your advanced settings. The default Admin Password is 123456. Change the default password to one you set yourself.
- Email alert: Setup your email for email alert.

- *Time Zone*: Setup the time zone for your system. The most commonly used time zones for this system are:
 - GMT-05:00 Eastern Standard
 - GMT-06:00 Central Standard
 - GMT-07:00 Mountain Standard
 - GMT-08:00 Pacific Standard
 - GMT-09:00 Yukon Standard
 - GMT-10:00 Alaska-Hawaii Standard
- Daylight saving: Enable or disable daylight saving time.
- Device Security Code: Change the default password (123456) to a security code for your camera.
- Video Settings: Configure the following:
 - Video Quality [Better Streaming (VGA and lower bitrate), Better Image (VGA and higher bitrate), HD Video Normal (720P and lower bitrate), or HD Video Better (720P and higher bitrate)]
 - Environment Mode [Indoor (50Hz), Indoor (60Hz North America standard), or Outdoor]
 - Low Light (Level 1 5)
 - Screen Orientation (Normal, Flip, Mirror, Flip & Mirror)
- WiFi: Set up your WiFi connection.
- Sensitivity: Configure the following:
 - Enable Notification (On, Off)
 - Detect Mode (Off or Software)
 - Motion Detection (Set separate low/high levels for Day or Night)

- *E-Mail*: Allows you to configure the email environment, email account, and password. You can also set up encryption for data transmission.
- SDCard Format/Overwrite SDCard: Enable or disable the ability to overwrite the microSD card as space is needed.
- *Update device firmware*: Update the device's firmware. Tap *OK* at the confirmation screen to automatically reboot the device after update.
- Device Information: Check the model, camera's firmware version, and storage status.

Unless stated otherwise, the screen displays the main list of Advanced Settings fields after you enter the requested information in a specific field.

Delete Camera Connection

Tap the Delete icon ($\overline{\square}$) to remove a camera from your system. Tap *No* to keep the camera connection or *Yes* to delete it. A confirmation screen displays.

Event List Details

View Recorded Files





Android

iOS

Delete Recorded Files

For Android: Tap the Pencil icon and then select a file to delete. You can select more than one file. Tap the Delete icon (iii).

For iOS: Tap *Delete All* to delete all of the recorded files or tap *Delete One* to delete a single file. You can also set a filter to display all files recorded within the past hour, past 6 hours, etc. Tap *Search* to display the filter selections.

When you set a filter, be sure the Time Zone feature is set accurately in the Advanced Settings fields to reflect the current time zone for the camera, not the time zone where you are. See page 20 for details.

LIVE VIDEO SCREEN OVERVIEW

The *Live Video* screen lets you take snapshots, record video, and control the microphone and audio.

Android iOS









Viewing

Recording

Viewing

Recording



Tap this icon to take a snapshot of the current image. Snapshots are saved in your mobile device.



Turn the audio on and off when you're viewing live video.





iOS

	Tap this icon to begin recording live video. A round, red recording button displays. Tap it again to stop recording.
	Once recording begins, the app records for 2 minutes and
	then stops. You cannot stop recording during this period.
	When the system starts recording, the video clips will be saved into your camera's memory card. Please make sure the microSD card has been correctly inserted.
	Press and hold to speak through the camera during Live view and recording. The icon displays while the camera speaker button is
Android	pressed. Release to listen for response.
Ō	
iOS	
5	Return to the Snapshot screen.
Android	
iOS	

View Recorded Files

Return to the Snapshot view and tap the $\boxed{1}$ \equiv icon. See page 21 for Event List details.

TURN OFF THE APP

Android

Tap the home symbol (•) and then tap Exit.

iOS

- 1. Double tap the **HOME** button.
- 2. Quickly swipe the app window towards the top of the screen. The app closes.

MAINTAINING YOUR SYSTEM

TAKING CARE OF YOUR CAMERA

When dust and grime builds up on the camera lens and glass, it affects night vision capability. The infrared light reflects off of the dust and grime, limiting the camera's "vision." Use a microfiber cloth to regularly clean the cameras or when night vision video is cloudy or unclear.

TROUBLESHOOTING

HOW TO IMPROVE THE WIRELESS SIGNAL QUALITY

If possible, remove obstacles in between camera and receiver that might reflect the signal. These could include furniture, cabinets, and walls. If the wireless signal is not improved, relocate the camera closer to the receiver.

If	Try this
The app cannot find the camera	 Make sure your network supports DHCP protocol. Make sure that the DHCP option is turned on. Make sure the camera and your mobile device connect to the same WiFi router. Make sure the WiFi router is activated. Make sure the camera is properly powered on. Use the "ADD CAMERA" function to manually add the
No image appears	 • Make sure the power adaptor is not damaged or defective and is plugged into an electrical outlet with power. • Relocate the camera to obtain the best reception of wireless signals. • Make sure the camera is properly configured in the app.
Poor image quality	Clean the camera lens using a lens cleaning cloth. Spots or dust on the lens can also cause image quality problems.

If	Try this
Motion detection is not working	 Make sure the sensitivity setting is not turned OFF. (Set sensitivity through the <i>Advanced Settings</i> screen.) Adjust the sensitivity of the motion sensor. (Set sensitivity through the <i>Advanced Settings</i> screen.) In motion detection mode, a moving object within the camera viewing angle is necessary to trigger the motion sensor for recording. Make sure the system date and time have been correctly set.
Bright white spots appear at nighttime	The camera's infrared LEDs produce invisible light that reflects off surfaces such as glass. Install the camera on the other side of windows or place the lens flush against the surface to improve the night vision.
Memory card error	Make sure the memory card is correctly inserted and formatted. Please backup the data before formatting. This Format function will erase all data on the memory card.
Wrong date and time are shown	 Make sure you've selected the correct time zone. Unexpected date and time can result in an incorrect recording schedule. (See page 20) Confirm the system date/time of the mobile device to ensure correct operation.
My smartphone or wireless device cannot find the camera during setup.	 Make sure the router is turned on. Refresh the connection. Make sure your smartphone is connected to the same network as the camera.

SPECIFICATIONS

General			
Power	100~240V switching power supply DC 5V 1.5A		
Power Consumption	650mA max		
Camera Body Dimension	96mm x 48mm diam.		
Weight (Main Body)	7.3 oz (210g)		
Operating Temperature	14° ~ 122°F (-10° ~ 50°C)		
Network			
Wireless Technology	IEEE 802.11 b/g/n		
Network Connection	Ethernet (10/100 Base-T/Base -TX); WiFi		
Network Protocols	TCP/IP, UDP, SMTP, NTP, DHCP, ARP		
Simultaneous Views	3 Concurrent sessions		
Security	WPA /WPA2 (TKIP, 128 bit AES)		
Cameras			
Image Sensor	1/4" CMOS		
Antenna	3dBi Dipole		
Housing	Plastic		
Camera Environment	Indoor (50Hz), Indoor (60Hz)		
Storage memory	microSD		
Viewing Angle	H: 60° V: 40°		
Min. Illumination	1~8 lux		
Low-light resolution	5 IR LEDs with IR switcher		
Low-light visibility	25 feet		
Min. Upload Bandwidth Requirements	768 kbps per camera		

Audio/Video			
Image Compression	H.264		
Image Resolution	HD 1280x720		
	VGA 640x480		
Recording Frame Rate	Max 720P 20fps		
Supported Mobile Internet Device			
iOS Requirement	iOS5.0 and above		
Android Requirement	Android 4.1x or above		
Hardware Requirement	Cortex A6 800MHz or above		
	•1GB internal memory or above		

MICROSD CARD APPROXIMATE RECORDING TIME

- 1GB = 1.3 hours
- 4GB = 5.2 hours

Recycling and Disposal Information

- Do not dispose of electronic devices or any of their components (especially batteries and LCD displays) in your municipal trash collection.
- Consult your local waste management authority or a recycling organization like <u>Earth911.com</u> to find an electronics recycling facility in your area.

FCC COMPLIANCE

Part 15 Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subjected to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with limits for a Class B digital device, pursuant to Part 15 of the FCC rules and ETSI (EN) 300328. These limits are

designed to provide reasonable protection against harmful interference in residential installations. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause interference to radio or television equipment reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- · Move the equipment away from the monitor.
- Plug the equipment into an outlet on a circuit different from that to which the monitor is connected.
- Consult the dealer or an experienced radio/television technician for additional suggestions.

CAUTION! Any changes or modifications to this equipment not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

RF Exposure Information

The antenna used for this transmitter must be installed to provide a separation distance of at least 20 cm (7.9") from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter.

IC COMPLIANCE INFORMATION

Radio Equipment Notice

The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met. Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. "Privacy of communications may not be ensured when using this device".

ONE-YEAR LIMITED WARRANTY

Important: Evidence of original purchase is required for warranty service.

WARRANTOR: Uniden America Corporation ("Uniden") ELEMENTS OF WARRANTY: Uniden warrants, for one year, to the original retail owner, this Uniden Product to be free from defects in materials & craftsmanship with only the limitations or exclusions set out below.

WARRANTY DURATION: This warranty to the original user shall terminate & be of no further effect 12 months after the date of original retail sale. The warranty is invalid if the Product is (A) damaged or not maintained as reasonable or necessary, (B) modified, altered, or used as part of any conversion kits, subassemblies, or any configurations not sold by Uniden, (C) improperly installed, (D) serviced or repaired by someone other than an authorized Uniden service center for a defect or malfunction covered by this warranty, (E) used in any conjunction with equipment or parts or as part of any system not manufactured by Uniden, or (F) installed or programmed by anyone other than as detailed by the owner's manual for this product.

STATEMENT OF REMEDY: In the event that the product does not conform to this warranty at any time while this warranty is in effect, warrantor will either, at its option, repair or replace the defective unit & return it to you without charge for parts, service, or any other cost (except shipping & handling) incurred by warrantor or its representatives in connection with the performance of this warranty. Warrantor, at its option, may replace the unit with a new or refurbished unit.

THE LIMITED WARRANTY SET FORTH ABOVE IS THE SOLE & ENTIRE WARRANTY PERTAINING TO THE PRODUCT & IS IN LIEU OF & EXCLUDES ALL OTHER WARRANTIES OF ANY NATURE WHATSOEVER, WHETHER EXPRESS, IMPLIED OR ARISING BY OPERATION OF LAW, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY DOES NOT COVER OR PROVIDE FOR THE REIMBURSEMENT OR PAYMENT OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow this exclusion or limitation

of incidental or consequential damages so the above limitation or exclusion may not apply to you.

LEGAL REMEDIES: This warranty gives you specific legal rights, & you may also have other rights which vary from state to state. This warranty is void outside the United States of America & Canada.

PROCEDURE FOR OBTAINING PERFORMANCE OF WARRANTY: If, after following the instructions in the owner's manual you are certain that the Product is defective, pack the Product carefully (preferably in its original packaging). The Product should include all parts & accessories originally packaged with the Product. Include evidence of original purchase & a note describing the defect that has caused you to return it. The Product should be shipped freight prepaid, by traceable means, to warrantor at:

Uniden America Service C/O Saddle Creek 743 Henrietta Creek Rd., Suite 100 Roanoke, TX 76262

(800) 658-8068, 8 a.m. to 4:30 p.m., Central, Monday through Friday