

EXI 4046

SERIES

OWNER'S

MANUAL

OWNER'S MANUAL

3

Step 1 Check the Package Contents

Make sure your cordless phone's packaging includes the following items.




Belt Clip

EX14046







Step 3 Set up the Base



Telephone cord

Also included: Owner's manual

Step 2 Install Handset Battery Pack and Charge

Rechargeable

battery

Use ONLY the Uniden rechargeable battery pack supplied with your new phone!





Connect the battery pack with the correct polarity.



Replace the cover.




Plug the AC adapter to a 120V AC power outlet.

(supplied)

Use ONLY the Uniden AC adapter Note supplied with your new phone!

Step 4 Charge the Handset



Total: 00

Charge the handset 15-20 hours.

Fully charge the battery pack by placing the handset in the base before using phone.

Step 5 Connect to the Phone Line







Plug the other end into the telephone wall jack.

Step 6 Make & Receive Calls

To Make a Call







To Receive a Call

Pick up the handset and press (talk/flash



To Hang Up a Call

Press (end) or return the handset to the hase.



For more information on these and other features, please refer to vour Owner's Manual. For your convenience, listed below are important features that will help vou set up vour new cordless phone.

Handset/Base Set up:

- Adjust the Earpiece Volume \rightarrow P.19
- Set the Ringer Volume → P.17
- Set Tone/Pulse Dialing \rightarrow P.16

Caller ID:

Set Caller ID on Call Waiting $(CIDCW) \rightarrow P.14$

Note: You must subscribe to Caller ID services through your local telephone provider to use Caller ID and CIDCW.

Refer to your Owner's Manual for detailed operations.

For answers to auestions and to order genuine Uniden parts and accessories 24 hours a day visit our website at www.uniden.com. If you have any problems, you can also call our Customer Hotline at 1-800-297-1023, Mon-Fri 7 a.m. to 7 p.m., Sat/ Sun 9 a.m. to 5 p.m. CST. (Phone support is closed on holidays.)

EX14046

1º Paso Inspección del contenido del embalaje

Asegúrese de que hava recibido los siguientes artículos en el paquete









Cable telefónico

Pinza para la correa Además va incluido: • Manual del usuario

2° Paso Instalación y carga de la pila para el receptor

Nota ;Use SOLAMENTE el paquete de pilas recargable de Uniden suministrado con su nuevo teléfono!



Quite la tapa.



Conecte el paquete de pilas con la polaridad correcta.






3° Paso Preparación de la base



Conecte el adaptador CA en el enchufe (amarillo) DC IN 9V.



Conecte el adaptador CA en una toma de 120V CA.

:Use SOLAMENTE el adaptador CA de Uniden suministrado con su teléfono!

4º Paso Carga del receptor

Coloque el receptor en la hase. Asegúrese de que el LED de carga se ilumine.



Carque el receptor de 15 á 20 horas.

Carque el paquete de pilas totalmente colocando el receptor en la base antes de usar el teléfono.

5° Paso Conexión de la línea telefónica

Conecte un extremo de la línea telefónica en el enchufe TEL LINE en la hase.



Conecte el otro extremo en el enchufe telefónico de la pared.

6º Paso Realización y recepción de llamadas

Para hacer una llamada









Para recibir una llamada

Levante el receptor v oprima (talk/flash



Para colgar una llamada

Oprima (end) o devuelva el receptor a la base.



Características adicionales

Para más información sobre estas y otras características, le rogamos que consulte su Manual del usuario. Para su conveniencia, hemos listado abajo unas características importantes, las cuales le avudarán a programar su nuevo teléfono inalámbrico de Uniden.

Programación del receptor/base:

- Ajuste del volumen del auricular v del altavoz \rightarrow P.19
- Programación del volumen del $timbre \rightarrow P.17$
- Programación de la marcación por tono/pulso \rightarrow P.16

Identificación de llamadas (Caller ID):

Programe la Identificación de llamadas en Llamadas en espera (CIDCW) \rightarrow P.14

Nota: **Usted dehe estar suscrito al** servicio de Identificación de llamadas con su proveedor de telefonía local para poder usar las características de Caller ID y de CIDCW

Consulte su manual del usuario para operaciones más detalladas.

Para hacer preguntas u ordenar partes genu-inas y accesorios de Uniden, llame a nuestra línea para atención al cliente en el 1-800-297-1023. Horario:

Lunes - viernes: 7 de la mañana- 7 de la tarde. Sábado/domingo: 9 de la mañana - 5 de la tarde. No habrá ayuda telefónica los días festivos. O, visite nuestra página Web: http://www.uniden.com

Contents

QUICK REFERENCE GUIDE	1	Using Call Waiting Voice Mail Waiting Indicator	2
Welcome/Features	4	Using the Speed Dial Memory	2
Controls and Functions	5	Storing Names and Numbers in Speed Dial Memory	2
Terms Used in this Manual	6	Storing Caller ID Messages in Speed Dial Memory	2
Accessibility	7	Making Calls from Speed Dial Memory	2
Installing the Phone	8	Caller ID and CIDCW (Caller ID on Call	
A. Choose the Best Location	8	Waiting)	28
B. Install the Rechargeable Battery Pack into the Handset	9	Viewing the Caller ID Message List	2
C. Connect the Base Unit and Charge the Handset	10	Deleting Information from the Caller ID List	3
D. Mount the Base Unit on a Wall	11	Making a Call from the Caller ID List	3
Installing the Beltclip	12	Caller ID on Call Waiting (CIDCW)	3
Headset Installation	13	Changing the Digital Security Code	32
Basic Setup	14	Note on Power Sources	33
Activating AutoTalk	14	General Information	3
Activating Caller ID on Call Waiting	14 15	Troubleshooting	30
Entering Your Area Code Choosing the Dialing Mode	16	Liquid Damage	3
Setting the Language	16	1	94
Selecting the Ring Tone and Volume	17	Precautions & Warranty	39
Using Your Phone	18	I.C. Notice	4
Making and Receiving Calls	18	Index	42
Redialing the Last Dialed Number	19	Memory List	4:
Adjusting the Earpiece Volume	19	Memory List	-10
Tone Dialing Switch-over	20		
Traveling Out-of-Range	20		
Selecting a Different Channel	20		
Find Handset	21		

www.uniden.com [3]

Welcome

Congratulations on your purchase of the Uniden cordless telephone. This phone is designed and engineered to exacting standards for reliability, long life, and outstanding performance.

Note:Illustrations in this manual are used for explanation purposes. Some illustrations in this manual may differ from the actual unit. The color of your cordless phone may vary.



As an Energy Star[®] Partner, Uniden has determined that this product or product models meets the Energy Star[®] guidelines for energy efficiency. Energy Star[®] is a U.S. registered mark.

Features


- 2.4GHz Extended Range Technology
- Caller ID/Caller ID on Call Waiting
- 3-Line Backlit LCD
- Trilingual Menu Displays
- 30 Caller ID Memory
- 10 Number Memory Dialing
- Last Number Redial

- Tone/Pulse Dialing
- Find Handset Key
- Earpiece/Ringer Volume Controls
- Mute or Turn Ringer Off
- Hearing Aid Compatible
- 20 Channel Auto Scan
- Desk or Wall Mountable


If you have any trouble with your phone, call our Customer Hotline at 1-800-297-1023, Mon-Fri 7 am to 7 pm, Sat/Sun 9 am to 5 pm, CST. (Phone support is closed on holidays.) For more information on Uniden products and accessories, be sure to visit our web site: www.uniden.com


Uniden® is a registered trademark of Uniden America Corporation. AutoTalk, AutoStandby, UltraClear Plus, Random Code, and AutoSecure are trademarks of Uniden America Corporation.

Controls and Functions



- 1. Handset antenna
- 2. Jack for optional headset
- 3. Beltclip hole
- 4. Ringer speaker
- 5. Handset battery compartment
- 6. Handset earpiece
- 7. LCD display
- ∧/√/vol/ (earpiece volume, ringer volume and scroll) key (pages 14, 17 and 19)
- 9. Call id/menu key (pages 14 and 28)
- 10. ★/tone/ ← key (left cursor) key (pages 20 and 23)
- 11. Redial/pause key (pages 19 and 25)
- 12. Select key (page 14)
- 13. Talk/flash key (pages 18 and 21)
- 14. End key (pages 18 and 19)
- 15. Memory key (page 23)
- 16. $\#/\longrightarrow$ (right cursor) key (page 23)
- 17. Delete/chan key (pages 20, 23 and 30)
- 18. Handset microphone
- 19. Handset charging contacts





- 20. Base charging contacts
- 21. Find hs key (pages 21 and 32)
- 22. Charge/in use and VMWI
 (Voice Mail Waiting Indicator) LED
- 23. DC IN 9V jack
- 24. Telephone line jack

Terms Used in this Manual

- Standby Mode The handset may be sitting in or off the base, but is NOT in use. The talk/flash key has not been pressed and there is no dial tone.
- Talk Mode The handset is off the base and the talk/flash key has been pressed, enabling a dial tone.
- CID Caller ID
- CIDCW Caller ID on Call Waiting

Accessibility

Uniden provides a customer service hotline for accessibility questions. If you have a disability and need customer service assistance or if you have any questions about how Uniden's products accommodate persons with disabilities, please call the accessibility voice/TTY line:
1-800-874-9314

A representative is available to talk to you M-F, 8:00 am to 5:00 pm, CST. After hours, you can leave a message, and we will call you back. Information is also available on our web site, www.uniden.com, under the "Accessibility" link.

www.uniden.com



If your home has specially wired alarm equipment connected to the telephone line, be sure that installing the system does not disable vour alarm equipment.

If you have questions about what will disable your alarm equipment, contact your telephone company or a qualified installer.

Installing the Phone

Do the following steps:

- A. Choose the Best Location
- B. Install the Rechargeable Battery Pack into the Handset
- C. Connect the Base Unit and Charge the Handset
- D. Mount the Base Unit on a Wall

A. Choose the Best Location

When choosing a location for your new phone, here are some important guidelines you should consider: Avoid noise sources such as a window by Avoid heat sources, such as radiators, air ducts, and sunlight a street with heavy traffic




- The location should be close to both a phone jack and a continuous power outlet (one which is not connected to a switch).
- The base and handset should be kept away from sources of electrical noise such as motors, microwave ovens, and fluorescent lighting.
- The base can be placed on a desk, tabletop, or mounted on a standard wall plate. For better reception, place the base as high as possible.
- The base should be placed in an open area for optimum range and reception.

B. Install the Rechargeable Battery Pack into the Handset

The handset is powered by a rechargeable battery pack. The battery recharges automatically when the handset is placed in the base unit.

- Press down on the handset battery case cover (use the finger indention for a better grip) and slide the cover downward to remove.
- Plug the battery pack connector (red & black wires) into the jack inside the battery compartment.
 (The connector notches fit into the grooves of the jack only one way.) Match the wire colors to the polarity label in the battery compartment, connect the battery and listen for a click to insure connection.
- Make sure you have a good connection by slightly pulling on the battery wires. If the connection is secure, the battery jack will remain in place.
- 4) Place the battery case cover back in the handset by sliding it upwards until it clicks into place.





Use only the Uniden (BT-905) rechargeable battery pack supplied with your cordless telephone.



- Use only the supplied AD-0001 AC adapter.
 Do not use any other AC adapter.
- Do not place the power cord where it creates a trip hazard or where it could become chafed and create a fire or electrical hazard.


C. Connect the Base Unit and Charge the Handset

- Connect the AC adapter to the DC IN 9V jack and to a standard 120V AC wall outlet.
- Place the handset in the base unit with the keypad facing forward.
- Make sure the charge/in use LED illuminates.
 If the LED does not illuminate, check to see that the AC adapter is plugged in and the handset makes good contact with the base charging contacts.



- Connect the AC adapter to a continuous power supply.
- Place the base unit close to the AC outlet to avoid long extension cords.
- 4) Charge your handset at least 15-20 hours before plugging the phone line.
- 5) Once the handset battery pack is fully charged, connect the telephone line cord to the TEL LINE jack and a telephone outlet. If your telephone outlet isn't modular, contact your telephone company for assistance.






To telephone outlet
Telephone line cord

D. Mount the Base Unit on a Wall

Standard wall plate mounting

This phone can be mounted on any standard wall plate.


- 1) Plug the AC adapter to the **DC IN 9V** jack.
- 2) Plug the AC adapter into a standard 120V AC wall outlet.
- 3) Plug the telephone line cord into the **TEL LINE** jack.
- 4) Plug the telephone line cord into the telephone outlet.
- 5) Align the mounting slots on the base with the mounting posts on the wall. Then push in and down until the phone is firmly seated.



Direct wall mounting

If you don't have a standard wall plate, you can mount your phone directly to the wall. Before doing this, consider the following:

- Avoid electrical cables, pipes, or other items behind the mounting location that could cause a hazard when inserting screws into the wall.
- Try to mount your phone within 5 feet of a working phone jack to avoid excessive cord lengths.
- Make sure the wall material is capable of supporting the weight of the base and handset.
- Use #10 screws (minimum length of 1-3/8 inches) with anchoring devices suitable for the wall material where the base unit will be placed.



- 1) Insert two mounting screws into the wall, (with their appropriate anchoring device), 3-15/16 inches apart. Allow about 1/8 of an inch between the wall and screw heads for mounting the phone.
- 2) Refer to steps 1 through 5 on page 11 to mount the telephone.

Installing the Beltclip

To attach the beltclip

Insert the beltclip into the holes on each side of the handset. Press down until it clicks.

To remove the beltclip

Pull both sides of the beltclip to release the tabs from the holes.

Headset Installation

Your phone may be used with an optional headset. To use this feature, insert the headset plug into the headset jack. Your phone is ready for hands-free conversations. (Headsets may be purchased by visiting our website at www.uniden.com or by calling our Parts Department. See back cover page.)



Basic Setup

There are five basic options that you will need to set up: AutoTalk, CIDCW (Caller ID on Call Waiting), Area Code, Dial Mode and Language.

Activating AutoTalk

AutoTalk allows you to answer the phone simply by removing the handset from the base. You do not have to press any keys.

 When the phone is in standby mode, press and hold the call id/ menu key. The following screen appears.

```
▶Auto Talk :Off
CIDCW :On
Area Code :
```

- 2) Press the **select** key to turn AutoTalk on.
- 3) Press the **end** key to complete the setting. The handset returns to standby mode.

Activating Caller ID on Call Waiting

Caller ID allows you to see the name and number of the calling party before you answer the phone. Caller ID on Call Waiting (CIDCW) lets you see the name and number of a call that comes in when you are on the line.

You must subscribe to Caller ID service through your local telephone provider to use this feature.

 When the phone is in standby mode, press and hold the call id/ menu key. The following screen appears.

Auto Talk	:	Off On
CIDCW	ä	0n
Area Code	ii	

- 2) Press the **√/vol/** ★ key to select CIDCW.
- 3) Press the **select** key to toggle and turn on Caller ID on Call Waiting.

.	Auto . CIDCW	Tal	k	::	Off On
	Area 1	Cod	8	i	

4) Press the **end** key and return the handset to the base unit to complete the setting. The handset returns to standby mode.

Entering Your Area Code

If you can make a call by dialing only 7 digits (instead of 10), you can program your local area code in your phone. If you get a call from within your area code, you'll only see the 7-digit phone number. If you get a call from outside your area code, you'll see all 10 digits.

- When the phone is in standby mode, press and hold the call id/ menu key. The following screen appears.
- 2) Press the √/vol/ △ key twice to select Area Code.
- Press the select key. If an area code was already stored, the phone will display it.
- 4) Use the number keys (*0 9*) to enter the 3-digit area code. If you make an error, use the *delete/chan* key to backspace.
- Auto Talk :Off CIDCW :On Area Code :

- 5) Press the **select** key. A confirmation tone sounds.
- 6) Press the *end* key to complete the setting. The handset returns to standby mode.

▶Auto Talk :Off CIDCW :On Area Code :

Auto Talk :Off CIDCW :On •Area Code :



If your phone system requires pulse dialing and you need to send DTMF tones during a call, you can temporarily switch over to tone dialing. (Refer to "Tone Dialing Switchover" on page 20.)

Choosing the Dialing Mode

Your phone can communicate with the telephone network in two different ways: tone dialing and pulse dialing. These days, most phone networks use a method called tone dialing, so your phone comes programmed for tone dialing.

If your phone company uses pulse dialing, you'll need to change your phone's dial mode. There's an easy way to tell: try making a call. If your call connects, your phone's setting is fine. If not, follow the steps below:

- When the phone is in standby mode, press and hold the call id/ menu key. The following screen appears.
- 2) Press the √/vol/ △ key three times to select Dial.
- 3) Press the **select** key to set the phone to pulse dialing.
- Press the *end* key to complete the setting. The handset returns to standby mode.

Setting the Language

You can change the language the menu display uses. Choose from English, French, or Spanish.

- When the phone is in standby mode, press and hold the call id/ menu key. The following screen appears.
- 2) Press the √/vol/ ♠ key four times to select Language.



CIDCW	ä	On
Area Code	ä	
Dial :Pu	1	se



- 3) Press the **select** key to select Eng, Fr. or Esp.
- 4) Press the *end* key to complete the setting. The handset returns to standby mode.



Selecting the Ring Tone and Volume

Your phone has five different ringer tone/volume combinations you can choose from.

- 1) With the phone in standby mode, press the $\bigwedge/vol/\triangle$ or $\bigvee/vol/\triangle$ key.
- The phone will sound the different ring tones at different volumes. To turn the ringer off, select Ringer Off.
- 3) When the phone sounds the ring tone and volume you wish to use, press the **end** key.



Using Your Phone

Making and Receiving Calls

Making a call

- 1) Remove the handset from the base.
- 2) Press the talk/flash key.
- 3) Listen for the dial tone.
- 4) Dial the number.

OF

- 1) Remove the handset from the base.
- 2) Dial the number.
- 3) Press the talk/flash key.

Receiving a call

- 1) Remove the handset from the base. (If AutoTalk is on, the phone will automatically answer the call when you pick it up.)
- 2) Press the *talk/flash* key.

OR

If the handset is off the base, press the talk/flash key, the */tone/ ← key, the #/→ key or any number key. (AutoTalk is on.)

Hanging up

Press the **end** key or return the handset to the base.

To turn on the AutoTalk feature, see "Activating AutoTalk" on page 14.

Redialing the Last Dialed Number

- 1) Remove the handset from the base.
- 2) Press the talk/flash key.
- 3) Listen for the dial tone.
- 4) Press the *redial/pause* key.

OR

- 1) Remove the handset from the base.
- 2) Press the *redial/pause* key.
- 3) Press the talk/flash key.

Adjusting the Earpiece Volume

To change the earpiece volume, press the $\bigwedge/vol/\Delta$ or $\bigvee/vol/\Delta$ key during a call.

Temporarily Mute Ringer

If the handset is off the base while an incoming call is ringing, simply press the *end* key to mute the incoming ring. The ringer will sound with the next incoming call.





You can only mute the handset ringer if the handset is off the base when the phone starts ringing



Tone Dialing Switch-over

If your telephone company requires pulse dialing, you can switch over to tone dialing after the call connects. This feature is useful when you need tone dialing to use any automated menu systems, such as telephone bank tellers, telephone prescription refills, customer support menus, etc.

If your phone is set to pulse dialing mode, make your call normally. Once your call connects, press the */tone/ _ key. Any digits you enter from then on will be sent as tone digits. When this particular call ends, the phone automatically returns to pulse dialing mode.



Traveling Out-of-Range

During a call, as you begin to move your handset too far from your base unit, noise increases. If you pass the range limits of the base, your call will terminate within one minute.

Selecting a Different Channel

If you encounter interference while using your phone, you can manually change the phone's channel for clear operation. While using your phone, press the *delete/chan* key. Scanning appears on the display, indicating the phone is changing to another channel. For more information on interference, refer to "Radio Interference" on page 40.


The *UltraClear Plus*TM true compander circuitry virtually eliminates background noise. This innovative technology, together with 20 different channels, provides you with the best possible reception during all your conversations.

Find Handset

To locate the handset, press the *find hs* key on the base. The handset beeps for 60 seconds.

To cancel paging, press any key on the handset or the find hs key on the base, or return the handset to the base.

Paging is also canceled when the phone receives an incoming call.



Using Call Waiting



If you have Call Waiting, you can receive calls while on the line.

- If a call comes in while you are on the phone, you will hear a call waiting tone. If you have CIDCW activated, you will see the name and number of the incoming caller.
- 2) Press the *talk/flash* key to accept the waiting call. After a short pause, you will hear the new caller.
- To return to the original caller, press the talk/flash key again.



You must subscribe to Call Waiting through your local telephone company.



You must subscribe to voice mail service from your telephone company in order to use this feature. The voice mail company will provide you with the access number.

Voice Mail Waiting Indicator

If you subscribe to voice mail service, you can use your cordless telephone to access your voice mailbox. The *charge/in use* LED on the base of your phone flashes whenever you have messages waiting in your voice mailbox.

Just dial the access number supplied by your voice mail provider to enter your mailbox. You can program your voice mail access number to a speed dial number. If the voice mail waiting indicator remains on after you have retrieved your messages, press and hold the *find hs* key for 5 seconds. This will reset the indicator.

Using the Speed Dial Memory


The speed dial memory allows you to store up to 10 names and numbers in the handset. You can dial these numbers with just a few key presses.

The speed dial memory is not limited to phone numbers. You can store any number (up to 20 digits) that you need to enter once your call connects. This is referred to as Chain Dialing. For example, you can save your bank account number to speed dial memory. When you call your bank's telephone teller service and are prompted to enter your account number, simply press the *memory* key and the speed dial number where you stored your account number. Then press the *select* key.

Storing Names and Numbers in Speed Dial Memory

- 1) With the phone in standby mode, press the *memory* key.
- 2) Enter 0-9 to select the speed dial number where you would like to store this entry. You can also scroll through the list with the vol/ and √/vol/ keys. Press the select key twice.
- Store Name appears and a cursor flashes indicating that the phone is ready for the name to be entered.

If the selected speed dial number is already assigned, the Edit screen appears. You can select Edit to edit this entry, select Delete to erase this entry, delete this entry, or select Go Back to choose another speed dial number.



ŎŹ JOHN DOE

Store Name

▶Edit Memory01 Delete Memory01 Go Back



When editing the speed dial memory, you must press a key within 30 seconds or the phone will return to standby mode. If you return the handset to the base, the phone will return to standby mode also.



If the next character uses the same number key, you must press the #/ key to move the cursor over. Otherwise the next time you press the number key, it changes the character that was previously set.

- 4) Enter a name according to the instructions below, then press the **select** key. If no name is required, go to step 5.
 - The name can be up to 13 characters.
 - Use the #/\rightarrow and \(\frac{\sqrt{tone}}{\sigma} \) keys to move the cursor to the desired location.
 - Use the *delete/chan* key to delete characters as needed.
 - Press and hold the *delete/chan* key to delete all the characters.

Refer to the letters on the number keys to select the desired characters. With each press of a numeric key, the displayed character appears in the following order:

upper case letters first, lower case letters next and finally the number corresponding to the kev.

If you make a mistake while entering a name

Use the $\frac{*}{tone}$ or $\frac{#}{\rightarrow}$ key to move the cursor to the incorrect character. Press the *delete/chan* key to erase the wrong character. Then enter the correct character. To delete all characters, press and hold the **delete/chan** key.

For example, to enter Movies.

- 1) Press 6. Then press the $\#/\longrightarrow$ key to move the cursor to the right.
- 2) Press 6 six times.
- 3) Press 8 six times.
- 4) Press 4 six times.
- 5) Press 3 five times.
- 6) Press 7 eight times.

	Number of times key is pressed										
keys	1	2	3	4	5	6	7	8	9		
	1										
2abc	А	В	С	а	ь	6	2				
3def	D	Ε	F	d	е	f	3				
4ghi	G	Н	I	g	h	i	4				
5jkl	J	K	L	j	k	1	5				
6mno)	М	N	0	m	n	0	6				
7 _{pqrs}	P	Q	R	S	P	9	r	s	7		
8tuv	T	U	U	t	u	V	8				
9wxyz)	W	X	Υ	Z	W	×	9	Z	9		
Ooper	*	#	-	8.	()	(blank)	0			

Store Number is displayed. The cursor flashes indicating that the phone is ready for the number to be entered.

Store Number

6) Use the keypad to enter the phone number; each number can be up to 20 digits.

If you need the phone to pause during the dialing sequence, press the *redial/pause* key to insert a two-second delay between the numbers. You can enter multiple pauses to increase the delay. Each pause counts as a digit. The display shows a P for every pause.

Store Number 8007303456∎



When storing numbers into memory, if the handset is idle (i.e., no key is pressed) for more than 30 seconds, it will beep rapidly, and the phone will return to standby mode.

 Press the *memory* key. You will hear a confirmation tone, and the following screen appears.
 Memory storage is complete.
 After about 2 seconds, the following screen displays all the speed

Memory01 Stored

8) Press the *end* key to exit memory setup mode. The phone returns to standby.

01⊭Movies 02 JOHN DOE 03 MOM AND DAD

dial memory entries.



You cannot store a Caller ID message if no phone number appears in the message.

Storing Caller ID Messages in Speed Dial Memory

Messages (Caller ID names/numbers) shown in the Caller ID list can be stored in memory dialing. For instructions on viewing the Caller ID Message list, see page 29.

1) Press the *call id/menu* key. Select the phone number to be stored from the Caller ID list by pressing the ∧/vol/♠ or √/vol/♠ key.

5/17 12:30PM Jane Smith 214-555-1234

2) Press the *memory* key.

Select Memory 01**)** 02 JOHN DOE

- Press the select key. You hear a confirmation tone, and the number is stored in memory. The display returns to the Caller ID list.

5/17 12:30PM Jane Smith 214-555-1234



If a number has already been stored in the selected memory number location, a confirmation screen is displayed.

Press the $\Lambda/vol/\Delta$ key to select Yes. Press the select key to overwrite. The display returns to the Caller ID list.

Replace Memory? Yes •No

Making Calls from Speed Dial Memory

 Press the *memory* key. The handset displays your programmed speed dial number.

Select Memory 01⊧Movies 02 JOHN DOE

- Enter the number (0 9), or press the \(\lambda/vol/\(\Delta\) or \(\sqrt{vol}\)\(\Delta\) key to select the speed dial number you would like to dial.
- 3) Press the *talk/flash* key. Talk and the number selected appear on the display. Then the displayed number is dialed.

Talk-8007303456

To cancel speed dialing

Press the *end* key to cancel speed dialing. The handset returns to standby mode. Also, if the handset is idle (e.g., no key is pressed) for 30 seconds, the phone returns to standby mode.



- If you answer a call before the Caller ID message is received (for example, before the second ring), the Caller ID message will not appear.
- •When the call is received via a telephone company that does not offer Caller ID service, the caller's phone number and name do not appear. (This includes international calls.)
- When the call is received via a private branch exchange (PBX), the caller's phone number and name may not appear.

| Caller ID and CIDCW (Caller ID on Call Waiting)

You must subscribe to Caller ID service through your local telephone provider to use this feature. When the telephone rings, the Caller ID feature allows you to view the caller's name, phone number, date and time of call. The incoming call information is stored in the Caller ID record. If the Caller ID service includes the caller's name, the caller's name appears on the display (up to 15 letters).

The date and	
time received	- 5/11 12:30PM
6 11 1	
Caller's name ———	- Jane Smith
Caller's phone number	

You may receive any one of the following messages:

When a private name is received
When a private name is received
When a private number is received
When a unknown name is received
When a unknown number is received

Incomplete Data Private Name Private Number Unknown Name Unknown Number



Data errors appear as "■".

Viewing the Caller ID Message List

The Caller ID list stores information for up to 30 incoming calls - even unanswered calls. You can also view the Caller ID list during a call.

- Press the call id/menu key. The summary screen displays the number of new messages and total messages.
- 2) Use the V/vol/ ♠ key to scroll through the messages from the latest to the earliest, or use the ∧/vol/ ♠ key to scroll through the messages from the earliest to the latest.

 Press the call id/menu key to return to talk mode, or press the end key to return to standby mode.



5/17 12:30PM Jane Smith 214-555-1234



- In Caller ID operation, if no key is pressed for more than 30 seconds, an error tone sounds and the telephone returns to standby mode.
- Each message can be up to 15 characters for the name and 15 digits for the phone number.
- •The number of calls from the same Caller ID appears next to the received time. Once you view the new message, the number will be cleared and disappear.
- During a call, don't press the end key, or the call will be disconnected.



- While using the Delete All? or Delete
 Message? screen, if no key is pressed for more than 30 seconds, an error tone sounds, and the handset returns to standby mode.
- If you get an incoming call or page, the deleting operation is canceled, and you can answer the call or page.

Deleting Information from the Caller ID List

If the phone receives more Caller ID messages than it can store, the oldest one in the list is automatically deleted. Caller ID data can also be deleted manually.

Deleting a Caller ID message

 Press the call id/menu key in standby mode. Find the message to be deleted from the Caller ID list by pressing the ∧/vol/ △ or √/vol/ △ key.

5/17 12:30PM Jane Smith 214-555-1234

- 2) Press the delete/chan key.
- Press the <u>∧/vol/</u> or <u>√/vol/</u> key to select Yes, and then press the select key.

Delete Message? •Yes No

Deleting all Caller ID names/numbers

- 1) With the phone in standby mode, press the *call id/menu* key.
- 2) Press the delete/chan key.
- Press the ∧/vol/ △ or √/vol/ △ key to select Yes, and then press the select key.
 You hear a confirmation tone and all stored Caller ID messages are deleted.

Caller ID New :01 Total:02

Caller ID Total:00

Making a Call from the Caller ID List

You can place a call from the Caller ID list.

Press the *call id/menu* key in standby mode. Select the phone number that you want to dial by pressing the ∧/vol/ △ or √/vol/ △ key.

ĺ		5	/	1	7		1	2	i	3	ØPM	
ı	J	a	n	e		S	m	i	t,	h		
l	2	1	4		5	5	5		1	2	34	

- 2) To have the phone dial a 1 before the displayed Caller ID number, press 1. To have the phone dial the stored area code before the displayed Caller ID number, press 3.
- 3) Press the *talk/flash* key. The displayed phone number dials automatically.

Caller ID on Call Waiting (CIDCW)

With CIDCW, you will hear a Call Waiting tone while you are on a call, and the Caller ID data is displayed. To accept the waiting call, press the *talk/flash* key (see page 21).



You cannot make a call from the Caller ID list if your cordless phone is connected to a private branch exchange (PBX).

Changing the Digital Security Code

To protect you against misbilled calls which might result from your phone being activated by other equipment, the cordless phone provides *AutoSecure*TM (which electrically locks your phone when the handset is in the base) and *Random Code*TM digital security which automatically selects one of over 262,000 digital security codes for the handset and base.

If the handset battery pack is completely discharged or the battery pack is removed, the digital security code will be lost. If this happens, a new security code is set automatically the next time the battery pack is charged. In the rare situation that you suspect another cordless telephone is using the same security code, you can change the code.

- 1) Remove the handset from the base unit. Press and hold the *find hs* key on the base.
- 2) While holding the *find hs* key, place the handset in the base unit, and leave the handset in the base for more than 3 seconds. A new random security code is set.

Note on Power Sources

Low battery alert

When the battery pack is very low and needs to be charged, the phone is programmed to eliminate functions in order to save power. If the phone is not in use, Low Battery appears on the LCD and none of the keys will operate. If the phone is in use, Low Battery flashes and the handset beeps. Complete your conversation as quickly as possible and return the handset to the base unit for charging.

Low Battery



Information stored in the phone's memory will be retained for 30 minutes after the battery pack is removed. This includes all setup information, last number dialed, speed dial memory, and the CID list.

Even when the battery pack is not being used, it will gradually discharge over a long period of time. For optimum performance, be sure to return the handset to the base unit after a telephone call.

Battery replacement and handling

When the operating time becomes short even after a battery is recharged, please replace the battery. With normal usage, your battery should last about one year. A replacement battery may be purchased by calling Uniden's Parts Department (see back cover page).

Warning: To avoid the risk of personal injury or property damage from fire or electrical shock, only use the Uniden battery model and Uniden adapter model specifically designated for this product.

Power Failure

During the period that the power is off, you will not be able to make or receive calls with the telephone.

Caution

- Use only the specified Uniden battery pack (BT-905).
- Do not remove the battery from the handset to charge it.
- Never throw the battery into a fire, disassemble it, or heat it.
- Do not remove or damage the battery casing.


Cleaning the battery charging contacts

To maintain a good charge, clean the charging contacts on the handset once a month.

Dampen a cloth with plain water. Gently rub the damp cloth over the charging contacts until all visible dirt is removed. Dry the contacts thoroughly before returning the handset to the base.

Caution

Do not use paint thinner, benzene, alcohol, or other chemical products. Doing so may discolor the surface of the telephone and damage the finish.



General Information

The phone complies with FCC Parts 15 and 68.

Operating temperature: -10°C to +50°C (+14°F to +122°F)

AC Adapter Information

AC Adapter part number: AD-0001

Input Voltage: 120V AC 60Hz Output Voltage: 9V DC 210 mA

Battery Information

Battery part number: BT-905

Capacity: 600 mAh, 3.6V

Frequency 924.516925 - 926.704425 MHz

2,405.155942 - 2,411.718441 MHz



•To avoid damage to the phone use only Uniden AD-0001 and BT905 with your phone.

• If the handset is left off the base, the actual talk mode duration will be reduced respective to the amount of time the handset is off the base.

Recharge your phone on a regular basis by returning the handset to the base after each phone call. When the operating time becomes short, even after the battery is recharged, please replace the battery. With normal usage, the battery should last about one year.

A replacement Uniden adapter or battery may be purchased by calling Uniden's Parts Department (see back cover page).

Specifications, features, and availability of optional accessories are all subject to change without prior notice.

Troubleshooting

If your phone is not performing to your expectations, please try these simple steps first. If these steps do not solve your problem, please call our Customer Hotline at 1-800-297-1023. (Mon - Fri 7 am to 7 pm, Sat/Sun 9 am to 5 pm, CST. Phone support is closed on holidays.)

Symptom	Suggestion
The <i>charge/in use</i> LED won't illuminate when the handset is placed in the base.	 Make sure the AC adapter is plugged into the base and wall outlet. Make sure the handset is properly seated in the base. Make sure the charging contacts on the handset are clean.
The audio sounds weak and/or scratchy.	 Move the handset and/or base away from metal objects or appliances and try again. Press the <i>delete/chan</i> key in the talk mode to help eliminate background noise. Make sure that the handset is not too far from the base.
Can't make or receive calls.	 Check both ends of the telephone line cord. Make sure the AC adapter is plugged into the base and wall outlet. Disconnect the AC adapter for a few minutes. Then reconnect it. Change the digital security code (see page 32). Make sure that the handset is not too far from the base. Check the dialing mode used by your telephone company.

Symptom	Suggestion
The handset doesn't ring or receive a page.	 The battery pack may be weak. Charge the battery for 15-20 hours. The handset may be too far from the base unit. Place the base unit away from appliances or metal objects. Change the digital security code (see page 32). Check the battery pack to ensure there is a secure connection. Make sure ringer volume isn't set to "off."
Severe noise interference.	 Keep the handset away from microwave ovens, computers, remote control toys, wireless microphones, alarm systems, intercoms, room monitors, fluorescent lights, and electrical appliances. Move to another location or turn off the source of interference.
The Caller ID does not display.	 The call was answered before the second ring. The call was placed through a switchboard. Charge the handset. Your Caller ID service may not be active; contact your local telephone service provider.
Voice Message Indication does not work.	 Contact your local telephone company to make sure that your telephone receives FSK message signaling. Reset the indicator by pressing and holding the <i>find hs</i> key for 5 seconds.

Liquid Damage

Moisture and liquid can damage your cordless phone. In case of accidental submersion, please follow these steps.

Case	Action				
If the handset or base is exposed to moisture or liquid, but it only affects the exterior plastic housing.	Wipe off the liquid, and use as normal.				
If moisture or liquid has entered the plastic housing (i.e., liquid can be heard in the phone or liquid has entered the handset battery compartment or vent openings on the base).	Handset: 1.Remove the battery cover and leave it off for ventilation 2.Remove the battery pack by disconnecting 3.Leave the battery cover off and the battery pack disconnected for at least 3 days 4.Once the handset is completely dry, reconnect the battery pack and the battery cover. 5.Recharge the handset's battery pack for 20 hours before using again. Base: 1.Disconnect the AC adapter from the base unit, cutting off electrical power. 2.Disconnect the telephone cord from the base unit. 3.Let dry for at least 3 days. IMPORTANT: You must unplug the telephone line while recharging the battery pack to avoid charge interruption. CAUTION: DO NOT use a microwave oven to speed up the drying process. This will cause permanent damage to the handset, base and the microwave oven. After following these steps, if your cordless telephone does not work, please call our Customer Service Hotline at 1-800-297-1023.				

Precautions!

Before you read anything else, please observe the following:

Warning!

Uniden America Corporation DOES NOT represent this unit to be waterproof. To reduce the risk of fire, electrical shock, or damage to the unit, DO NOT expose this unit to rain or moisture.

Rechargeable Nickel-Cadmium Battery Warning

- •This equipment contains a rechargeable nickel-cadmium battery. •Cadmium is a chemical known to the State of California to cause
- The rechargeable nickel-cadmium battery contained in this equipment may explode if disposed of in a fire.
- Do not short-circuit the battery.
- Do not charge the rechargeable nickel-cadmium battery used in this equipment in any charger other than the one designed to charge this battery as specified in the owner's manual.
 Using another charger may damage the battery or cause the battery to explode.

Rechargeable Nickel-Cadmium Batteries Must Be Recycled or Disposed of Properly

- Uniden voluntarily participates in an RBRC® industry program to collect and recycle nickel-cadmium batteries at the end of their useful life, when taken out of service within the United States.
 The RBRC® program provides a convenient alternative to placing used nickel-cadmium batteries into the trash or municipal waste stream, which is illeqal in some areas.
- •Through the RBRC® program, Uniden makes it easy for you to drop off the used battery at local retailers of replacement nickelcadmium batteries. You may also contact your local recycling center for information on where to return the used battery. Please call 1-800-8-BATTERY for information on Ni-Cd battery recycling in your area. Uniden's involvement in this program is part of its commitment to protecting our environment and conserving natural resources.
- $\bullet RBRC^{\circledast}$ is a registered trademark of the Rechargeable Battery Recycling Corporation.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance. Uniden works to reduce lead content in our PVC coated cords in our product and accessories.

Warning!

The cords on this products and/or accessories contain lead, a chemical known to the State of California to cause birth defects or other reproductive harm. Wash hands after handling.

Important Safety Instructions

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- Do not use this product near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- Do not use the telephone to report a gas leak in the vicinity of the leak.
- 4. Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible battery disposal instructions.
- 5. Do not disassemble any component of this product.

SAVE THESE INSTRUCTIONS CAUTION

Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions. Do not open or mutilate the battery, and disconnect the battery before shipping this product.

The FCC Wants You To Know

This equipment complies with Part 68 of the FCC rules and the requirements adopted by the ACTA. On the bottom of this equipment is a label that contains, among other information, a product identifier in the format US:AAAEQ##TXXXX. If requested, this number must be provided to the telephone company. An applicable Universal Service Order Codes (USOC) certification for the jacks used in this equipment is provided (i.e., RJ11C) in the packaging with each piece of approved terminal equipment. A plug and jack used to connect this equipment to the premises wrining and telephone network must comply with the applicable FCC Part 68 rules and requirements adopted by the ACTA. A compliant telephone cord and modular plug is provided with this

product. It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.

The REN is used to determine the number of devices that may be connected to a telephone line. Excessive RENs on a telephone line may result in the devices not ringing in response to an incoming call. In most but not all areas, the sum of RENs should not exceed five (5.0). To be certain of the number of devices that may be connected to a line, as determined by the total RENs, contact the local telephone company. For products approved after July 23, 2001, the REN for this product is part of the product identifier that has the format US:AAAEQ##TXXXX. The digits represented by ## are the REN without a decimal point (e.g., 03 is a REN of 0.3). For earlier products, the REN is separately shown on the label. If this equipment causes harm to the telephone network, the telephone company will notify you in advance that temporary discontinuance of service may be required. But if advance notice isn't practical, the telephone company will notify the customer as soon as possible. Also, you will be advised of your right to file a complaint with the FCC if you believe it is necessary. The telephone company may make changes in its facilities, equipment, operations or procedures that could affect the operation of the equipment. If this happens the telephone company will provide advance notice in order for you to make necessary modifications to maintain uninterrupted service. Please follow instructions for repairing, if any (e.g. battery replacement section); otherwise do not substitute or repair any parts of the device except as specified in this manual. Connection to party line service is subject to state tariffs. Contact the state public utility commission, public service commission or corporation commission for information. This equipment is hearing aid compatible.

Should you experience trouble with this equipment, please contact Uniden customer service at 800-297-1023. If the equipment is causing harm to the telephone network, the telephone company may request that you disconnect the equipment until the problem is resolved.

NOTICE: According to telephone company reports, AC electrical surges, typically resulting from lightning strikes, are very destructive to telephone equipment connected to AC power sources. To minimize damage from these types of surges, a surge arrestor is recommended.

Changes or modifications to this product not expressly approved by Uniden, or operation of this product in any way other than as detailed by the owner's manual, could void your authority to operate this product. This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Privacy of communications, may not be ensured when using this phone.

To insure the safety of users, the FCC has established criteria for the amount of radio frequency energy various products may produce depending on their intended usage. This product has been tested and found to comply with the FCCis exposure criteria. For body worn operation, the FCC RF exposure guidelines were also met when used with the Uniden accessories supplied or designed for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines and should be avoided.

Radio Interference

Radio interference may occasionally cause buzzing and humming in your cordless handset, or clicking noises in the base. This interference is caused by external sources such as TV, refrigerator, vacuum cleaner, fluorescent lighting, or electrical storm. Your unit is NOT DEFECTIVE. If these noises continue and are too distracting, please check around your home to see what appliances may be causing the problem. In addition, we recommend that the base not be plugged into a circuit that also powers a major appliance because of the potential for interference. Be certain that the antenna on the unit is fully extended when needed.

In the unlikely event that you consistently hear other voices or distracting transmissions on your phone, you may be receiving radio signals from another cordless telephone or other source of interference. If you cannot eliminate this type of interference, you need to change to a different channel.

Finally, it should be noted that some cordless telephones operate at frequencies that may cause interference to nearby TVs and VCRs. To minimize or prevent such interference, the base of the cordless telephone should not be placed near or on top of a TV or VCR. If interference is experienced, moving the cordless telephone farther away from the TV or VCR will often reduce or eliminate the interference.

Cordless Telephone Privacy

Cordless telephones are radio devices. Communications between the handset and base of your cordless telephone are accomplished by means of radio waves which are broadcast over the open airways.

Because of the inherent physical properties of radio waves, your communications can be received by radio receiving devices other than your own cordless telephone unit. Consequently, any communications using your cordless telephone may not be private.

One Year Limited Warranty

Important: Evidence of original purchase is required for warranty service.

WARRANTOR: UNIDEN AMERICA CORPORATION ("Uniden") ELEMENTS OF WARRANTY: Uniden warrants, for one year, to the original retail owner, this Uniden Product to be free from defects in materials and craftsmanship with only the limitations or exclusions set out below.

WARRANTY DURATION: This warranty to the original user shall terminate and be of no further effect 12 months after the date of original retail sale. The warranty is invalid if the Product is (A) damaged or not maintained as reasonable or necessary, (B) modified, altered, or used as part of any conversion kits, subassemblies, or any configurations not sold by Uniden, (C) improperly installed, (D) serviced or repaired by someone other than an authorized Uniden service center for a defect or malfunction covered by this warranty, (E) used in any conjunction with equipment or parts or as part of any system not manufactured by Uniden, or (F) installed or programmed by anyone other than as detailed by the owner's manual for this nonduct.

STATEMENT OF REMEDY: In the event that the product does not conform to this warranty at any time while this warranty is in effect, warrantor will either, at its option, repair or replace the defective unit and return it to you without charge for parts service, or any other cost (except shipping and handling) incurred by warrantor or its representatives in connection with the performance of this warranty. Warrantor, at its option, may replace the unit with a new or refurbished unit. THE LIMITED WARRANTY SET FORTH ABOVE IS THE SOLE AND ENTIRE WARRANTY SET FORTH ABOVE IS THE SOLE AND ENTIRE WARRANTY PERTAINING TO THE PRODUCT AND IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES OF ANY NATURE WHATSOEVER, WHETHER EXPRESS, IMPLIED OR ARISING BY OPERATION OF LAW, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTENDES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTENDES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTENDES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS

OR PAYMENT OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow this exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

LEGAL REMEDIES: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. This warranty is void outside the United States of America and Canada. PROCEDURE FOR OBSTAINING PERFORMANCE OF WARRANTY: If, after following the instructions in the owner's manual you are certain that the Product is defective, pack the Product carefully (preferably in its original packaging). Disconnect the battery from the Product and separately secure the battery in its own separate packaging within the shipping carton. The Product should include all parts and accessories originally packaged with the Product. Include evidence of original purchase and a note describing the defect that has caused you to return it. The Product should be shipped freight prepaid, by traceable means, to warrantor at:

Uniden America Service 4700 Amon Carter Blvd. Fort Worth, TX 76155

I.C. Notice

TERMINAL EQUIPMENT

NOTICE: This equipment meets the applicable Industry Canada Terminal Equipment Technical Specifications. This is confirmed by the registration number. The abbreviation, IC, before the registration number signifies that registration was performed based on a Declaration of Conformity indicating that Industry Canada technical specifications were met. It does not imply that Industry Canada approved the equipment.

NOTICE: The Ringer Equivalence Number (REN) for this terminal equipment is marked on the equipment itself. The REN assigned to each terminal equipment provides an indication of the maximum number of terminals allowed to be connected to a telephone interface. The termination on an interface may consist of any combination of devices subject only to the requirement that the sum of the Ringer Equivalence Numbers of all the devices does not exceed five.

RADIO EQUIPMENT

The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. "Privacy of communications may not be ensured when using this telephone".

www.uniden.com I.C. NOTICE [41]

Index	E, F, G, H, I, J, K, L Earpiece volume
A AC adapter information	Find handset21General information35Headset installation13I.C. Notice41Installing the phone.8Interference40Liquid damage.38
Installing	M, N, O, P, Q Making a call
Caller ID service 28 Call waiting 21 Deleting 30 Making a call 31 Viewing 29 Channel 20 Charging the battery pack 10 Cleaning contacts 34	Receiving a call 18 Redial 19 Ringer tone 17 S Speed dial memory Making calls from speed dial 27
Connect the base unit 10 Controls and functions 5, 6	Storing names and numbers in speed dial memory 23
Dial mode	T, U Technical information

Troubleshooting	•	36
V, W, X, Y, Z		
Voice mail waiting indicator		22
Wall mounting		11
Warranty		40

[42] INDEX

Memory List

MEMORY LOCATION MEMO			MEMORY LOCATION MEMO			
Memory ocation	Name	Phone Number	Memory Location	Name	Phone Number	
1			6			
2			7			
3			8			
4			9			
5			10			

MEMORY LOCATION MEMO

MEMORY LOCATION MEMO

Memory Location	Name	Phone Number	Memory Location	Name	Phone Number
1			6		
2			7		
3			8		
4			9		
5			10		

www.uniden.com [43]

Memo

At Uniden, we'll take care of you!

Thank you for purchasing a Uniden product. If you have any questions or problems, please do not return this product to the place of purchase.



Having Trouble?

Our customer care specialists are here to help you! Visit our website at www. uniden.com or call our Customer Hotline at **1-800-297-1023**, Mon-Fri, 7 a.m. to 7 p.m. or Sat/Sun, 9 a.m. to 5 p.m. CST. (Phone support is closed on holidays.)



Need a part?

To order headsets, additional handsets, replacement batteries or other accessories, visit our website at www.uniden.com or call **1-800-554-3988**, Mon-Fri, 8 a.m. to 5 p.m. CST.



Help for our Special Needs Customers

If you need special assistance due to a disability or have questions on the accessibility features of this product, please call **1-800-874-9314** (voice or TTY)

Uniden®

May be covered under one or more of the following U.S. patents:

4,797,916	5,381,460	5,426,690	5,434,905	5,491,745	5,493,605
5,533,010	5,574,727	5,581,598	5,650,790	5,660,269	5,661,780
5,663,981	5,671,248	5,696,471	5,717,312	5,732,355	5,754,407
5,758,289	5,768,345	5,787,356	5,794,152	5,801,466	5,825,161
5,864,619	5,893,034	5,912,968	5,915,227	5,929,598	5,930,720
5,960,358	5,987,330	6,044,281	6,070,082	6,125,277	6,253,088
6,314,278	6,418,209	6,618,015	6,671,315	6,714,630	6,782,098
6,788,920	6,788,953				
Other paten	ts pending.				

REGISTER ONLINE TODAY! THANK YOU FOR BUYING A UNIDEN PRODUCT.

